

## REQUEST FOR QUOTES

Stow-Munroe Falls City School District  
4350 Allen Road  
Stow, Ohio 44224  
330-689-5413  
Att: Mark Fritz, Director of Operations/Business Manager

Project Location:  
Stow-Munroe Falls High School  
3227 East Graham Road  
Stow, Ohio 44224  
Athletic Director: Cyle Feldman

### High School Tennis Court Resurface Project

Six (6) Courts (315'x120')

#### Scope #1

- Clean surfaces of dirt and debris using a power wash method and let dry.
- Fill cracks and patch low areas with acrylic patch material.
- Apply one (1) coat of Acrylic Resurfacer over entire court.
- Apply two (2) coats of Fortified Plexipave Standard – ITF category 3 coating regulation courts LIGHT GREEN. Exterior areas CALIFORNIA RED.
- Reline all regulation tennis courts with white 100% acrylic emulsion line paint with sand added.

#### **Option A**

##### Scope #2

#### Removal and Replacement of Post Footers

- Remove existing footers and dispose offsite appropriately.
- Pour new footers and 3 inch galvanized steel ground sleeves crowning around top of sleeve for water deflection.
- Supply and install new Edwards 3" round net posts, Edwards 40 LS Tennis nets with head band, and straps.

#### **Option B**

##### Scope #3

- Provide and install approximately 760LF of Armor Crack Repair system over existing cracks.

This project will be awarded after January 1 and is tentatively scheduled for commencement after May 30, 2018 to be completed NO LATER than July 13, 2018. Selected vendor can discuss alternative dates once funds are encumbered and Purchase Order has been issued. I would appreciate receiving your quotes no later than December 15, 2017. Site inspection can be at your convenience.